



SEA ATIL

TECHNICAL SPECIFICATIONS

GENERAL

Type	AHTS
Classification	Bureau Veritas • Hull • Mach • AUT-UMS - Tug - Mon-Shaft Ice Class 1C/ Unrestricted
MMSI	245460000
IMO number	9612806
Year built	2011 Kooiman Zwijndrecht, NL
Flag	Dutch
Port of registry	Vlissingen
Call sign	PCJR

DIMENSIONS

Length	34,10 m
Breath overall	11,50 m
Minimum draft	3,90 m
Operational Draft	4,20 m
Maximum draft	4,20 m
Minimum air draft	9,65 m
Maximum air draft	28,5 m
Gross tonnage	422 t
Net tonnage	126 t

PERFORMANCE

Bollard Pull	83,1 t
Maximum speed	13,50 knots
Economic speed	10,00 knots
Horsepower	6098

TANK CAPACITY

Fuel oil	293,0 m³
Fresh water	24,0 m³
Lubrication oil	3,8 m³
Hydraulic oil	2,0 m³
Dirty oil	4,8 m³
Sewage	16,0 m³

PROPULSION SYSTEM

Main engines	2x Mitsubishi S12U MPTK
Total power	4476kW/ 6098 bhp
Propulsion	2x fixed props in short nozzles
Bow thruster	590 bhp, hydraulic drive

DECK CRANE

Type	Heila HLRM 200-4SL tm
Capacity	9,00 t @ 16,30 m

DECK EQUIPMENT

Free deck space	103,0 m²
Deck strength	6,0 t/m²
Tugger winch	Kraaijeveld Pull 12 t wire 24 mm
Push bow	1x1050 mm

AUXILIARY EQUIPMENT

Main generator sets	2x Mitsubishi 6 D 16 t
Fuel oil transfer pump	50 m³ / h
Fresh water transfer pump	50 m³ / h
Fresh water maker	3500 ltr/ 24 h
Powerpack	1x Mitsubishi S6R MPTK



SEACONTRACTORS

The information contained in this data sheet is for guidance purposes only and may be subject to changes

TOWING EN ANCHOR HANDLING

Towing winch	Kraaijeveld 80 t/190 t (pull/hold) 1000m x 58 mm
Anchor Handling Winch	80 t/180 t (pull/hold) 700m x 58 mm
Towing pins	Karmoy SWL 130 t
Stern roller	6 m x 1,2 m




ACCOMMODATION

Persons	8
Single cabin	2
Double cabin	4
Air conditioned	Yes



SEA ATIL

SEA ATIL



SEA CONTRACTORS

SEA CONTRACTORS | FLEET LIST | A-CLASS & B-CLASS

The information contained in this data sheet is for guidance purposes only and may be subject to changes